# Lenovo USB-C Mini Dock

A smarter way to work.



# Lenovo

# Lenovo USB-C Mini Dock

### A smarter way to work.

The Lenovo USB-C Mini Dock is a productivity power house on the go. It supports an external display, power delivery up to 45W to laptop and port expansion. It also supports network management through the ethernet port and also a 3.5 mm combo audio jack housed in a sleek and compact Iron Grey exterior.

### Why you need Lenovo USB-C Mini Dock



### One cable, endless capabilities

Easily connect to an external 4K or 1080p display with HDMI or VGA, wired RJ45 network, two USB-A devices, and USB-C power pass-through – all via a single USB-C cable that disappears inside the minimalist design.



### Compact design, universal compatibility

Compact design only weighs 156 g (0.3 lbs) makes it perfect for on-the-go. Compatible with Lenovo-branded USB-C laptops as well as laptops from HP, Dell, and Apple\*.



### **Enterprise networking and security**

The Lenovo USB-C Mini Dock provides secure enterprise network manageability such as PXE boot and Wake-on-LAN. It also supports passing ThinkPad Mac through the dock for IT to identify the system in large networks accurately.







## Smarter technology for all

Lenovo USB-C & Thunderbolt™ Docks function with laptops that support industry standard USB-C Alt-Mode or Thunderbolt™ protocols through their Type C™ port. Lenovo USB-C and Thunderbolt™ Docks support additional features, such as MAC address passthrough, WOL and mirrored power button, on most Lenovo ThinkPad laptops, but such features may not be available on certain other Lenovo laptops or non-Lenovo branded laptop systems.

# CACUST WILL

### **Specifications**

### **Performance**

**Docking Interface** 

USB-C Port

Video Ports<sup>1</sup>

1 x HDMI 2.0 1 x VGA

**USB Ports** 

1 x USB 3.2 Gen 1<sup>2</sup> (5 Gbps) 1 x USB 2.0 1 x USB-C 3.2 Gen 1<sup>2</sup> (5 Gbps)

Max. Video Output 1 x 4K @ 60 Hz

Max. Number of Displays

Audio

1 x 3.5 mm Combo

Powe

1x USB-C Power-In Port

Charging to System 45W

**Operating Humidity** 

Max.: 95% Min.: 5%

**Operating Temperature** 

Max.: 60 °C (140 °F) Min.: -20 °C (-4 °F)

Design

Product Dimension (W x D x H)

(mm) : 180 x 53 x 17 (inches) : 70.9" x 2.09" x 0.67"

Weight (Without Power Adapter)

Starting at 156 g (0.3 lbs)

**Color** Iron Grey

Cable Length

240 mm (undetachable cable)

Connectivity

Networking

1x Gigabit Ethernet Port

**PXE Boot** 

Selected ThinkPad Laptops

Wake-on-LAN

Selected ThinkPad Laptops

**MAC Address Pass-through** 

Selected ThinkPad Laptops

### Information

Part Numbers (PN)

Commercial

US: 40AU0065EU
IS: 40AU0065IS
UK: 40AU0065IN
IT: 40AU0065IT
AU: 40AU0065AR
BR: 40AU0065DK
BR: 40AU0065DK
CN: 40AU0065CN
JP: 40AU0065JP
CH: 40AU0065CU

TW:40AU0066TW

Consumer G0A70065US Supported OS

Windows 10, Windows 7

Supported Laptops

USB-C<sup>3</sup> USB4

> Thunderbolt™ 3 Thunderbolt™ 4

Certifications

CB, BSMI, SII, CU, Ukraine, Kvalitet, LOA, NOM, cULus, FCC, ICES, CE, RCM. VCCI. KCC. EAC

Warranty

Period: 1 Year Type: CRU

Shipment Group (What's in the Box)

Lenovo USB-C Mini Dock

65W USB-C Power Adapter and Power Cord

Installation Manual Warranty Card

### accessorysmartfind.lenovo.com

Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo makes every effort to ensure accuracy of all information but is not liable or responsible for any editorial, photographic, or typographic errors. All images are for illustration purposes only. For full Lenovo product, service, and warranty specifications, visit www.lenovo.com. Lenovo makes no representations or warranties regarding third-party products or services. **Trademarks**: The following are trademarks or registered trademarks of Lenovo: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPost in ThinkStation, Thin



<sup>&</sup>lt;sup>1</sup> Single display either one of the ports.

<sup>&</sup>lt;sup>2</sup> Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2.

<sup>3</sup> Lenovo USB-C & Thunderbolt™ Docks function with laptops that support industry standard USB-C Alt-Mode or Thunderbolt™ protocols through their Type C™ port. Lenovo USB-C and Thunderbolt™ Docks support additional features, such as MAC address passthrough, WOL and mirrored power button, on most Lenovo ThinkPad laptops, but such features may not be available on certain other Lenovo laptops or non-Lenovo branded laptop systems.